

Home | Login | Logout | Access Information | Alerts | Purchase History | \*\* C

MEE XPLORE GUIDE

## Welcome United States Patent and Trademark Office

SEARCH

SROWSE

Search Session History

Edit an existing query or compose a new query in the Search Query

Display.

## Select a search number (#) to:

- . Add a query to the Search Query
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

Wed, 22 Aug 2007, 5:10:09 PM EST

Search Query Oisplay

Recent Search Queries

Results

((((isi <or> ici <or> (intercode <or> intersymbol <or> (inter <near/2> (symbol <or> code)) <near/2> interference)) <near/30> preequalize) <and> (spread <or> pn <or> walsh <or> pseudocode))<in>metadata)

sedward by

Contact Us Privac

& Copyright 2009 (£

	Hits	Search Text	DBs
1	1	modulat\$7 and isi and pre\$1equali\$7 and spread\$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	2	"6084919".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	2	"5822359".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1	(isi with pre\$1equali\$7) and spread\$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	1	(isi with pre\$1equali\$7) and cdma and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	1	(isi near30 pre\$1equali\$7) and spread\$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	1	((isi or ici) near30 pre\$1equali\$7) and spread\$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	2	((isi or ici or (inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) near30 pre\$1equali\$7) and spread\$7 and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	27	((((inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) or isi or ici) same pre\$1equali\$7) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	8	((((inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) or isi or ici) and pre\$1equali\$7) and (spread\$7 or pn or walsh or pseudo\$1cod\$3) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	4	(("6,084,919") or ("5,822,359")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	21	((((inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) or isi or ici) with pre\$1equali\$7) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	(375/141,145,146,242,253,254,28 5,295,260,130,140,259, 341/143,126, 370/209,335,342,441,208,203,329, 328,310, 455/562.1,422.1,561,550.1,73,403 ).ccls. and modulat\$7 and isi and pre\$1equali\$7 and spread\$7 and @ad<"19980424"	DERWENT:

	Hits	Search Text	DBs
14	2	((((inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) or isi or ici) near30 pre\$1equali\$7) and (spread\$7 or pn or walsh or pseudo\$1cod\$3) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	2	((isi or ici or (inter\$1cod\$3 or inter\$1symbol\$7 or (inter near2 (symbol\$7 or cod\$3)) near2 interferenc\$7)) near30 pre\$1equali\$7) and (spread\$7 or pn or walsh or pseudo\$1cod\$3) and @ad<"19980424"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	2	ep-866567-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	2	ep-717505-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	0	fl-941074-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	2	de-19623667-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	2	wo-9701226-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
21	2	ep-674451-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	(375/141,145,146,242,253,254,28 5,295,260,130,140,259, 341/143,126, 370/209,335,342,441,208,203,329, 328,310, 455/562.1,422.1,561,550.1,73,403 ).ccls. and modulat\$7 and isi and pre\$1equali\$7 and spread\$7 and @ad<"19980424"	US-PGPUB; 'USPAT; EPO; JPO; DERWENT; IBM_TDB
23	6	kowalewski-frank.in. and (spread\$7).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB